

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.70	Ohms
2	Fs	63.94	Hz
3	Re	5.46	Ohms[dc]
4	Res	190.08	Ohms
5	Qms	8.49	
6	Qes	0.24	
7	Qts	0.24	
8	L1	0.52	mH
9	L2	1.26	mH
10	R2	4.59	Ohms
11	RMSE-load	0.92	Ohms
12	Vas(Sd)	50.60	liters
13	Mms	44.86	grams
14	Cms	138	$\mu\text{M}/\text{Newton}$
15	B1	20.08	Tesla-M
16	SPLref(Sd)	99.2	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (60.00 grams)

Area (Sd): 510.71 sq cm


DCR mode: Measure (-0.06 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -33.8% (-20% to -50% is recommended).

PDN.12MH25


MLSSA: Parameters



mean: 12.51, rms: 22.31, std: 18.47, max: 195.9, min: 5.533

DTTO


MLSSA: Frequency Domain



Level (100:6004 Hz) = 99.77 dB SPL/watt (8 ohms, @1.00 meters)

PDM.12MH25

MLSSA: Frequency Domain



-69.21 dB, 2841 Hz (64), 2.750 msec (26)